

Hot Finished Hollow Sections
Rectangular

Standard Sectional Dimension		Unit Weight
A x B	Thickness t (mm)	Kg/m
60 x 40	3	4.39
	3.2	4.66
	4	5.72
	5	6.97
	6	8.15
	6.3	8.49
	8	10.00
80 x 40	3	5.34
	3.2	5.67
	4	6.97
	5	8.54
	6	10.00
	6.3	10.50
	8	12.80
100 x 50	3	6.75
	3.2	7.18
	4	8.86
	5	10.90
	6	12.90
	6.3	13.40
	8	16.60
	10	19.60
100 x 60	3	7.22
	3.6	8.59
	5	11.7
	6	13.8
	6.3	14.4
	8	17.8
120 x 60	3.6	9.72
	4	10.7
	5	13.3
	6	15.7
	6.3	16.4
	8	20.4
	10	24.3
120 x 80	5	14.8
	6	17.6
	6.3	18.4
	8	22.9

	10	27.9
150 x 100	5	18.7
	6	22.3
	6.3	23.3
	8	29.1
	10	35.7
	12	41.4
	12.5	42.8
	200 x 100	5
6		27
6.3		28.3
8		35.4
10		43.6
12		50.8
12.5		53.4
16		66.4
200 x 150	6	31.7
	6.3	33.22
	8	41.7
	9	46.6
	10	51.4
	12	60.9
	12.5	63.2
	250 x 150	6
6.3		38.00
8		48
10		59.3
12.5		73
16		91.5
300 x 100		5
	6	36.2
	6.3	38
	8	48.00
	10	58.80
	12	70.30
	16	91.50
300 x 200	6	45.80
	6.3	48.10
	8	60.50
	10	75.00
	12	89.15
	12.5	92.60
	16	117.00
300 x 250	6.3	53.00
	8	66.80
	10	82.80
	12.5	102.00
	16	129.00

350 x 150	6.3	48.10
	8	60.50
	10	75.00
	12.5	92.60
	16	117.00
350 x 250	8	73.10
	10	90.70
	12.5	112.00
	16	142.00

HC